



# **EXPOSED CIRCULAR**



## **DISTRIBUTION PATTERNS & FIXING OPTIONS**

#### **Application**

Colman's circular series offers a comprehensive range of options for modern exposed applications complete with circular plenums to suit.

Plenums are available as side entry or 'biscuit tin' top entry types and can be designed to sit over the neck or over the flange depending on the type of diffuser selected.

#### Diffuser types applicable are:

DRS Fixed Blade Radial DiffuserDWSC Fixed Blade Petal DiffuserDWTC Adjustable Control

Blade Diffuser

LRS Adjustable Swirl Diffuser

LSR Circular Multicone Diffuser LMR Circular Fixed Small Format Diffuser

NRC Circular Nozzle Diffuser

### **Description and Sizing**

Colman's circular plenums are manufactured from 0.7mm Galvanised Steel and come with option for lining, perforated equalising mesh for Supply application and spigot damper option.

Plenums for DRS and L Series can be manufactured to the following circular sizes: 160 dia, 200 dia, 250 dia, 315 dia, 400 dia, 500 dia. For DWS, DWT and N series then the plenum can be manufactured to sit over the neck of the diffuser size required.

#### **Additional Options & Finishes**

Circular diffusers can be provided with coanda plates to achieve better horizontal air distribution in exposed environments.

Standard colour finishes are available with RAL 9006 a popular option for this type of diffuser with our adjustable DWT type available in a fully galvanised finish as shown below.



Colman's Circular DWT in a Galvanised finish.



Colman's Circular DWT 2450 model with Circular Plenum.



Colman's LRS C/W Painted Circular Plenum.

# DIMENSIONS, OPTIONS & ORDER CODES

## **Options and Diffuser Order Codes**

1. SERIES	2. LINING	3. STYLE	4. ACCESSORIES	5. ARRANGEMENT	6. SPIGOT TYPE	7. SPIGOT DIAMETER
D For diffuser type DW, DRS, DWT L For diffuser type LRS, LSR, LMR N For diffuser type N Series	L Lined N Unlined 1 Special	<b>C</b> Circular	None     M Monoblade damper     N Monoblade damper     (matt black)     P Plenum painted     matt black	S Supply C/W perforated Equalising Mesh E Extract	R Round — Side entry T Round — Top entry 1 Special	A 100 B 125 C 150 D 200 E 250 F 300 N 315 P 280 R 225 T 175 1 Special

## **Example of Order Codes**

Diffuser Code: DLCMSRE

Lined Side Entry plenum complete with monoblade damper & 250 spigot.



Colman's Circular Nozzle Diffuser.



Colman's LRS with Chrome RAL 9006 finish.



Colman's DRS with Circular Plenum.



Colman's Circular DWS Diffuser with Circular Plenum.

# PRODUCT RANGES

GRILLES
Linear Bar
Ceiling
Sidewall
Floor
Computer Floor
Cill
Single & Double Deflection
Egg Crate
Hinged Core
Door Transfer
Security and Prison
Supply and Extract Valves

DIFFUSERS
Linear Slot
Louvre Face
Sidewall
Perforated Face
Circular
Swirl
Ceiling
Sidewall Fixed & Adjustable
Jet Flow / Nozzle
Repus Displacement Ventilation

LOUVRES
External
Circular
Door
Screens
Penthouse
Sand Louvres
Roof Louvres

## **BESPOKE SERVICE**

We offer a bespoke design service where standard products do not fit the requirements of the build, we also supply products in special colours and finishes including bronze, brass, gold and chrome to meet Architectural design specifications.

